indiresult.in whatsapp - 9352018749

Pharmacist Papers Prepaerd by indiresult.in

- (1).Crystalluria is the side effect associated with:
- 1. Quinolones
- 2. Azoles
- 3. Sulphonamides
- 4. Taxol

(2). The Drugs and Cosmetic Act was passed in:

- 1. 1940
- 2. 1945
- 3. 1947
- 4. 1946

(3). Which of the following is a female sex hormone?

- 1. Stilbesterol
- 2. Testosterone
- 3. Estrogen
- 4. Benzesterol
- (4).**Chloroquine** is a:
- 1. 4-Amino Quinoline UR
- 2. Acridine
- 3. Biguanide
- 4. Pyrimidine

(5). In the pediatric dose calculation, children in the first twenty days of birth comes under the class of:

SUCCESS

P

AR

т

- 1. Infant
- 2. Child
- 3. Neonatal
- 4. Just born

- (6). A naturally occurring carminative is:
- 1. Asafoetida
- 2. Asoka
- 3. Arjuna
- 4. Agar
- (7). The meaning of Latin term Rx:
- 1. Take thou
- 2. when necessary
- 3. send
- 4. write

(8). The DPO (Drug Price Control Order) was exercised by central government in:

- 1. 1985
- 2. 1995
- 3. 1987
- 4. 1997

(9). Myocardium is a special muscle tissue found only in the:

v

- 1. Brain
- 2. Heart
- 3. Stomach
- 4. Lungs

(10). The schedule to which 'List of drugs to be sold on prescription only' belong to:

SU

- 1. Schedule L
- 2. Schedule W
- 3. Schedule X
- 4. Schedule M

(11). Mannitol is:

- 1. Loop diuretic
- 2. Osmotic diuretic
- 3. Potassium sparing diuretic
- 4. Carbonic anhydrase diuretic

(12). The formulations used for dental hygiene are known as:

1. Insufflation

- 2. Snuffs
- 3. Cachets
- 4. Dentifrices

(13). Erythroblastosis foetalis arises due to the incompatibility in the:

- 1. Lymph
- 2. Blood
- 3. Synovial fluid
- 4. Bile

(14). A parenteral anticoagulant drug is:

- 1. Penicillin
- 2. Phfenindione
- 3. Warfarin
- 4. Heparin

(15). Drugs and Magic Remedies act was passed in:

- 1. 1956
- 2. 1954
- 3. 1952
- 4. 1953

(16). A non-drug part added to formulation to aid dilution, stability maintaining, taste masking etc. is known as:

- 1. Presensitive
- 2. Active ingredient
- 3. Additive
- 4. Binding agent

(17). Tropaue alkaloids can be identified by:

- 1. Thalloquin test
- 2. Vitali test
- 3. Biuret test
- 4. Millon's test

(18). The powerhouse of the cell is:

- 1. Golgi bodies
- 2. Mitochondria
- 3. Ribosomes
- 4. Nucleus

(19). Which of the following is not a benzodiazepine?

- 1. Diazepam
- 2. Nitrazepam
- 3. Zolpidem
- 4. Triazolam

(20). Which of the following is a natural emulsifying agent obtained from vegetable source?

UC

ΡΑ

S

- 1. Starch
- 2. Gelatin
- 3. Egg yolk
- 4. Wool fat

(21). A chelating agent used in the case of poisoning is:

- 1. Sodium phosphate
- 2. Dimercaprol
- 3. Ferroin
- 4. Bismuth subnitrate

(22). Filter sheets made of cellulose are:

- 1. Seitz filter
- 2. Membrane filter
- 3. Glass fiber filter
- 4. Sintered glass filter

(23). One fluid ounce is:

- 1. 60 ml
- 2. 15 ml
- 3. 30 ml
- 4. 10 ml

(24). The plant drug which is oxytoxic:

- 1. Ergot
- 2. Kurchi
- 3. Vinca
- 4. Cocaine

(25). The diagnostic agent used for the functioning of thyroid gland:

- 1. Fe-59
- 2. **I-131**

- 3. Co-60
- 4. P-32

(26). The constituent of cholesterol termed as bad cholesterol is:

- 1. HDL
- 2. LDL
- 3. VLDL
- 4. Triglycerides

(27). Sterols belong to the class of:

- 1. Lipids
- 2. Waxes
- 3. Carbohydrates
- 4. Proteins

(28). Hepatitis is a:

- 1. Bacterial infection
- 2. Protozoal infection
- 3. Fungal infection
- 4. Viral infection

(29). A leukotriene receptor antagonist used in allergic cough is:

SUCCESS

P

AR

TN

- 1. Rofecoxib
- 2. Theophylline
- 3. Losartsn
- 4. Montelukast

(30). The sulphonamide used for burn Therapy is:

YOUR

- 1. Sulfadiazine
- 2. Sulfadoxine
- 3. Sulfacetamide
- 4. Sulfapyridine
- (31). A hypotonic solution can be made isotonic by addition of:
- 1. Sodium chloride
- 2. Potassium chloride
- 3. Calcium chloride
- 4. Magnesium chloride

(32). The pathogenic organism in milk is killed by:

1. Tyndalization

- 2. Pasteurization
- 3. Autoclaving
- 4. Dry heat sterilization

(33). Agents promoting easy bowel evacuation is termed as:

- 1. Protective
- 2. Antacids
- 3. Adsorbents
- 4. Laxatives

(34). Morphine, codeine and thebaine is contained in:

- 1. Quassia
- 2. Kurchi
- 3. Gelatin
- 4. Opium

(35). Amantadine is the drug used as:

- 1. Antibacterial
- 2. Antiviral 🧹
- 3. Antifungal
- 4. Antiprotozoal
- (36). The antifungal drug, fluconazole belongs to the class of:

YOUR SUCCESS PARTNER

- 1. Pyridine
- 2. Azoles
- 3. Pyrimidines
- 4. Acridines

(37). The first Indian Pharmacopoeia was published in:

- 1. 1948
- 2. 1960
- 3. 1955
- 4 1966

(38). Ranitidine is a :

- 1. H2 antagonist
- 2. HI antagonist
- 3. Beta adrenergic antagonist
- 4. Alpha adrenergic antagonist

(39). Creams are:

- 1. Emulsions
- 2. Suspensions
- 3. Ointments
- 4. Pastes

(40). Ocuserts are:

- 1. Ear preparations
- 2. Nasal preparations
- 3. Oral preparations
- 4. Eye preparations
- (41). Eugenol is contained in:
- 1. Clove
- 2. Capsicum
- 3. Cardamom
- 4. Coriander

(42). Tuberculosis is diagnosed by:

- 1. Widal test
- 2. Elisa test
- 3. Mantoux test
- 4. Alerts method

(43). One among the following is a communicable disease: **PARTNE**

- 1. Cancer
- 2. Diabetes
- 3. Hypertension
- 4. Filariasis

(44). An example of sulfonyl urea is:

- 1. Metformin
- 2. Tolbutamide
- 3. Rosiglitazone
- 4. Repaglinide

(45). Blood plasma and blood serum preparations are dried by:

- 1. Freeze dryer
- 2. Vacuum dryer
- 3. Spray dryer
- 4. Fluidized bed dryer

(46). The medicinal agents used for the increase in urine output is known as:

- 1. Urinary antiseptics
- 2. Diuretics
- 3. Stimulants
- 4. Antiseptics

(47). Phenobarbitone is a:

- 1. Sedative
- 2. Antitussive
- 3. Antipsychotic
- 4. Anxiolytic

(48). An analgesic containing para amino phenol group is:

- 1. Paracetamol
- 2. Ibuprofen
- 3. Aspirin
- 4. Indomethacin

(49). Acetyl salicylic acid is:

- 1. Sulindac
- 2. Aspirin
- 3. Mefenamic acid
- 4. Nalidixic acid

(50). Chlorpromazine is an antipsychotic drug possessing:

R

S

U

Р

V O U

- 1. Butyrophenone
- 2. Thioxanthine
- 3. Phenothiazine
- 4. Acridine

(51). Which among the following is a tricyclic antidepressant drug?

- 1. Amitryptiline
- 2. Trazodone
- 3. Phenelezine
- 4. Fluoxetine

(52). Salbutamol is a:

- 1. Mast cell stabilizer
- 2. Bronchodilator
- 3. Immunosuppressant

4. Antitussive

(53). Which among the following is an anti-dandruff drug?

- 1. Zinc sulphate
- 2. Selenium sulfide
- 3. Zinc carbonate
- 4. Sodium fluoride

(54). The component of tablet machine which controls the shape and size of the tablet is:

SUCCESS

PAR

- 1. Hopper
- 2. Punches
- 3. Cam track
- 4. Dies

(55). Calamine is:

- 1. Basic zinc oxide
- 2. Basic zinc sulfide
- 3. Basic zinc carbonate
- 4. Basic zinc hydroxide

(56). Vitamin tablets are generally formulated as;

- 1. Hypodermic tablets
- 2. Sublingual tablets OUR
- 3. Effervescent tablets
- 4. Chewable tablets

(57). Ciprofloxacin is a:

- 1. Quinoline drug
- 2. Quinolone drug
- 3. Isoquinoline drug
- 4. Quinuclidine drug

(58). The crude drug with the Latin name Withania somnifera is:

- 1. Brahmi
- 2. Hyoscyamus
- 3. Aswagandha
- 4. ipecac

(59). One among the following is a volatile oil containing crude drug:

- 1. Chirata
- 2. Cardamom
- 3. Linseed
- 4. Myrobalan

(60). A crude drug used as cardiotonic:

- 1. Dhatura
- 2. Cinchona
- 3. Ephedra
- 4. Ergot

(61). Belladona belongs to the family of:

- 1. Solanaceae
- 2. Piperaceae
- 3. Papavaraceae
- 4. Rutaceae

(62). The active ingredient that forms froth when shaken with water:

SUCC

ESS

Ρ

AR

т

- 1. Alkaloid
- 2. Tannin
- 3. Gum
- 4. Saponin

(63). Emetine is the main ingredient of:

- 1. Ipecac
- 2. Isapgol
- 3. Pyrethrum
- 4. Rhubarb

(64). The rod shaped bacteria are:

- 1. Coccus
- 2. Spirilla
- 3. Bacillus
- 4. Vibrios

(65). Widal test is used for the diagnosis of:

YOUR

- 1. Typhoid
- 2. AIDS
- 3. Jaundice
- 4. Meningitis

(66). The disease caused by Entamoeba histolytica;

- 1. Malaria
- 2. Trypanosomiasis
- 3. Filariasis
- 4. Amoebiasis

(67). Hospital acquired infectious are called:

- 1. Primary infection
- 2. Secondary infection
- 3. Nosocomial infection
- 4. Latent infection

(68). EEG is utilized to diagnose the diseases associated with the:

- 1. Heart
- 2. Kidney
- 3. Abdomen
- 4. Brain

(69). Which of the following is an antidiuretic hormone?

UR

- 1. Oxytocin
- 2. Follicle stimulating hormone
- 3. Vasopressin
- 4. Luteinizing hormone

(70). The hormone involved in the secretion and regulation of milk:

SU

Е

S

Ρ

- 1. TSH
- 2. FSH
- 3. Prolactin
- 4. Thyroxine
- (71). An antimalarial obtained from natural source is:

0

- 1. Strychnine
- 2. Brucine
- 3. Reserpine
- 4. Quinine

(72). Ascaris lumbricoides is a:

- 1. Helminth
- 2. Protozoa
- 3. Amoeba
- 4. Virus

(73). Kala Azar is a type of:

- 1. Giardiasis
- 2. Leishmaniasis
- 3. Helminthiasis
- 4. Schistosomiasis

(74). The presence of pathogenic bacteria hi blood is called:

- 1. Toxemia
- 2. Septicemia
- 3. Bacteremia
- 4. Anemia

(75). Dettol is used as:

- 1. Antiseptic
- 2. Disinfectant
- 3. Antimicrobial
- 4. Antibiotic

(76). An antibiotic possessing the beta lactam ring is:

R

SUC

ΡΑ

- 1. Penicillin
- 2. Erythromycin
- 3. Streptomycin
- 4. Chloramphenicol

(77). Which of the following is a catecholamine?

- 1. Thyroxine
- 2. Melanine
- 3. Tyramine
- 4. Dopamine

(78). Passive immunity is obtained by injecting:

- 1. Antiserum
- 2. Antigens
- 3. Vaccines
- 4. Antibodies

(79). An acid contained in bacterial cell wall is:

- 1. Muramic acid
- 2. Formic acid

- 3. Stearic acid
- 4. Palmitic acid

(80). Which among the following is an antihistaminic drug?

- 1. Diphenhydramine
- 2. Chlordiazepoxide
- 3. Pilocarpine
- 4. Amphetainine
- (81). A narcotic analgesic:
- 1. Reserpine
- 2. Papaverine
- 3. Quinine
- 4. Morphine

(82). Which of the following is not an eicosanoid?

- 1. Interleukin
- 2. Leukotriene
- 3. Thromboxane
- 4. Prostaglandin

(83) Which of the following is a NSAID drug?

v

OUR

- 1. Morphine
- 2. Heroin
- 3. Codeine
- 4. Diclofenac

(84). The extraction process where powdered crude ding is kept in contact with suitable solvent for suitable time:

SUC

CE

SS

ΡΑ

- 1. Percolation
- 2. Decoction
- 3. Maceration
- 4. Reserved percolation

(85). Which of the following is used as a binder?

- 1. Talc
- 2. Starch
- 3. Cellulose
- 4. Kaolin

(86). Which of the following is an analeptic drug?

- 1. Caffeine
- 2. Nikethamide
- 3. Cocaine
- 4. Amphetamine

(87). Which among the following is an anti-filarial drug?

- 1. **DEC**
- 2. FNH
- 3. PAS
- 4. DDS

(88). The schedule for Good manufacturing practices and requirements of factory premises for the manufacture of belongs to:

- 1. Schedule X
- 2. Schedule W
- 3. Schedule L
- 4. Schedule M

(89). A preparation containing killed or attenuated viruses is termed as:

S

ESS

PAR

- 1. Vaccine
- 2. Antiserum
- 3. Toxin
- 4. Toxoid

(90). Dapsone is used for the therapy of

UR

- 1. Tuberculosis
- 2. Amoebicide
- 3. Leprosy
- 4. Helminthiasis
- (91). Curcmninoids are present in:
- 1. Squill
- 2. Turmeric
- 3. Honey
- 4. Acacia

(92). The cardiovascular disease associated with the disorder of heart rate or rhythm is called:

- 1. Arrhythmia
- 2. Myocardial infarction
- 3. Angina pectoris

4. Ischemia

(93). Yeasts come under a group of:

- 1. Bacteria
- 2. Fungi
- 3. Protozoa
- 4. Virus

(94). Drugs suppressing nausea and vomiting are:

- 1. Anti-emetic
- 2. Anti-diarrheal
- 3. Anti-ulcer
- 4. Antiseptic

(95). Which of the following drugs is used as a neuromuscular blocking agent?

SUCC

ESS

PAR

- 1. Methocarbamol
- 2. Succinyl choline
- 3. Tizanidine
- 4. Baclofen

(96). Which of the following is beta adrenergic blocker?

YOUR

- 1. Ramipril
- 2. Valsartan
- 3. Verapamil
- 4. Propranolol

(97). Agents used for reducing acidity in stomach is termed as:

- 1. Acidifier
- 2. Protective
- 3. Adsorbent
- 4. Antacid

(98). The complete separation of two phases in emulsion is called:

- 1. Creaming
- 2. Sedimenting
- 3. Cracking
- 4. Leaching

(99). Lachrymal glands produces:

1. Tear

- 2. Wax
- 3. Sweat
- 4. Sebum

(100). One among the following is an alkylating anticancer ding:

- 1. Chloramphenicol
- 2. Chlorambucil
- 3. Chlorhexidine
- 4. Clotrimazole

1	3	11	2	21	2	31	1	41	1	51	1
2	1	12	4	22	2	32	2	42	3	52	2
3	3	13	2	23	3	33	4	43	4	53	2
4	1	14	4	24	1	34	4	44	2	54	4
5	3	15	2	25	2	35	2	45	1	55	1
6	1	16	Y ₃ 0	26	2	36	E 5	^S 46	2	56	E ₄ R
7	1	17	2	27	1	37	3	47	1	57	2
8	2	18	2	28	4	38	1	48	1	58	3
9	2	19	3	29	4	39	1	49	2	59	2
10	1	20	1	30	1	40	4	50	3	60	1

61	1	71	4	81	4	91	2
62	4	72	1	82	1	92	1
63	1	73	2	83	4	93	2
64	3	74	2	84	3	94	1
65	1	75	1	85	2	95	2
66	4	76	1	86	2	96	4
67	3	77	4	87	1	97	4
68	4	78	4	88	4	9 <mark>8</mark>	3
69	3	79	1	89	1	99	1
70	3	80	1	90	3	100	2

indiresult.in whatsapp - 9352018749